	Hits	Search Text	DBs
1	44		
2	29197	(server\$1 with database\$1) and (@ad < "20010510")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	16304	l2 and interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
4	6512	l3 and web\$6 and site\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	2526	l4 and rule\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	2366	l5 and request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	1052	l6 and (unique with (id\$1 or identifier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	48	l7 and (default with rule\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	47	l8 and (row\$1 or entr\$3 or record\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
10	43	19 and (secur\$5 or authenticat\$1 or password\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	41	l10 and (convert\$6 or translat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	41	lll and access\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	35	l12 and (notif\$6 or acknowledg\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14		l13 and (sender\$1 or caller\$1 or ((originat\$5 or initiat\$5) with (part\$3 or user\$1 or customer\$1 or person or people)))	1
15	24	l14 and (receiver\$1 or recipient\$1 or (receiv\$5 with (part\$3 or user\$1 or customer\$1 or person or people)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB



 Web
 Images
 Groups
 News
 Froogle
 Local New!
 more »

 codeword and prefix tree and variable lengt
 Search
 Advanced Search Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Results 1 - 10 of about 79 for codeword and prefix tree and variable length and key and edge and not

[PDF] A generalized prediction method for modified memory-based high ...

File Format: PDF/Adobe Acrobat

... and exhaustive, since no codewords can appear as the **prefix** of any other **codeword**. As a result, the VLC code **tree** is an unbalanced **tree** structure. ... ieeexplore.ieee.org/iel5/ 82/16692/00769782.pdf?arnumber=769782 - Similar pages

[PDF] Bytecode Compression via Profiled Grammar Rewriting

File Format: PDF/Adobe Acrobat

... These operators follow a **prefix** rather than postfix ... original instruction is assigned a **codeword** whose **length** ... to span several expression **trees** and supporting ... portal.acm.org/ft_gateway.cfm?id=378827&type=pdf - <u>Similar pages</u>

[PDF] Data Compression

File Format: PDF/Adobe Acrobat

... algorithms for min- imum-redundancy **prefix** coding in ... H. Since the **length** of a **codeword** for message ... is generally not an integer, **variable-length** codewords must ... portal.acm.org/ft_gateway.cfm?id=45074&type=pdf - <u>Similar pages</u> [<u>More results from portal.acm.org</u>]

[PDF] Data compression using word encoding with Huffman code

File Format: PDF/Adobe Acrobat

... the **edge** to its right child with digit 1. The **codeword** for each ... The **prefix** wl and the whole word w will be put into ... 4. Digital searching **tree** and its variants. ... doi.wiley.com/10.1002/ (SICI)1097-4571(199110)42:9%3C685::AID-ASI7%3E3.0.CO;2-1 - <u>Similar pages</u>

[PPT] Slide 1

File Format: Microsoft Powerpoint 97 - View as HTML

... Natural Merge merges variable length runs instead of runs of fixed or ... Now we have the benefit of a tree structure with the speed of an ... Length of circular track. ... www.cs.pitt.edu/~kirk/cs1501/notes/cs1501.ppt - Similar pages

[PS] 1 Syllabus for CM0314 Algorithms IV 1. Lecture 1. Algorithmic ...

File Format: Adobe PostScript - View as Text

... Then the **codeword** for a character is given by tracing the path from the root to that ... We can use a **tree** to represent a **variable-length prefix** code. ... users.cs.cf.ac.uk/David.W.Walker/ALGIV/course.ps - <u>Similar pages</u>

[PDF] Learning and Identifying Desktop Macros Using an Enhanced LZ78 ...

File Format: PDF/Adobe Acrobat - View as HTML

... 21 Four Symbol Dictionary **Tree** Comparison ... frequency given the current state and action **prefix** match in ... on the previous command (ie, patterns of **length** two, so ... www.cse.uta.edu/research/ publications/Downloads/CSE-2004-12.pdf - <u>Similar pages</u>

[PDF] Theory in Programming Practice

File Format: PDF/Adobe Acrobat - View as HTML

... The **length** of a **codeword** is the corresponding pathlength. ... symbols? 2. Show that the **tree** corresponding to an optimal **prefix** code is a full binary **tree**. ... www.cs.utexas.edu/users/misra/ClassNotes.dir/337.pdf - Similar pages

Sn-Sz

... btree, a in-memory B-tree implementation; dupkey ... computes the number of compact prefix codeword sets having a ... computes the length of the codeword generated by ... stommel.tamu.edu/~baum/linuxlist/linuxlist/node44.html - 101k - Cached - Similar pages

[PDF] Structures of String Matching and Data Compression

File Format: PDF/Adobe Acrobat - View as HTML

... that represents a **prefix** of α , β is that **prefix**, $d = |\alpha| ...$ of an **edge** (u, v) is the string of **length** depth(v ... but are not generally used once the **tree** is completed ... www.larsson.dogma.net/thesis.pdf - <u>Similar pages</u>

Goooooogle ▶

Result Page: 1 2 3 4 5 6 7 8

1 2 2 2 2 2 2 2 2 100

Next

Free! Get the Google Toolbar. <u>Download Now</u> - <u>About Toolbar</u>

Google -	Search Web - PageRank - 3 blocked AutoFill	⊉ Options
	1 On sensitives On 1 Description	i Egi Obious

codeword and prefix tree and var

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google